Specifications

DC-313Z	
Process	Indirect Dual Component Dry Toner
Type	Desk-top
Originals	Desk-top Sheets, books, 3-dimensional objects
Copy Sizes	Maximum 11 " $ imes$ 17", Minimum $5^1/_2$ " $ imes$ $8^1/_2$ "
Copying Speed	30 copies per minute $8^1/2^n \times 11^n$
	17 copies per minute 11 " \times 17"
	(Equal-size copying)
Warm-up Time	3 minutes or less (About 20 seconds
	during Pre-Heating)
First Copy Speed	
Magnification	1:1
	Reduction/enlargement set by Automatic
	Magnification Function (6R4E)
Zoom	magnification (64.7%—141.4%, in 0.1% steps)
	Zoom magnification memory (4 types)
Light Source	Halogen lamp
Continuous Copying	Up to 999 copies
Paper Feeding System	Automatic sheet feed (three cassettes)
	and Manual sheet feed (bypass)
Cassette Capacities	
a 8 8	250 or 500 sheets (8 $^{1}/_{2}$ " \times 11 " R) (Bottom)
	Automatic Toner Density Control
Power Source	AC 115V, 60 Hz
Weight	184 lbs
ADE-IN	

ADF-1N

7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Original Sizes	
Acceptable Paper Weights	
Feeding Capacity	50 sheets (17 lbs)
Dimensions	
	Supplied from DC-313Z

AS-6

AJ-U	
Number of Bins	11 (10 sort bins and one non-sort bin)
Acceptable Copy Paper Sizes	
Bin Capacity	Non-sort bin: 200 sheets (11 " \times 17")
	Each sort bin: 20 sheets $(11 " \times 17")$
	30 sheets (10" \times 14" or smaller)
Copy Side	Face up
Dimensions	$18^{1}/_{8}$ " (W) $\times 17^{3}/_{4}$ " (D) $\times 11^{15}/_{16}$ " (H)
Power Source	AC 115V, 60 Hz

- For best copy results, we recommend that you use only Mita original consumables for your Mita copiers.

 • Specifications are subject to change without notice.



Local Authorized Dealer



MITA COPYSTAR AMERICA, INC.

Headquarters: Heights Plaza, 777 Terrace Avenue, Hasbrouck Heights, New Jersey 07604, U.S.A. Phone: (201) 288-6900, Telex: 138055 MITA HBHT

Northeastern Region: 158 River Road, Clifton, New Jersey 07014

Phone: (201) 471-9485

Midwestern Region: 1250 Lunt Avenue, Elk Grove Village, Illinois 60007 Phone: (312) 364-6466

Western Region: 2930 South Fairview Street, Santa Ana, California 92704


Phone: (714) 556-0318

Southern Region: 2054 Weems Road, Tucker, Georgia 30084

Phone: (404) 939-8421



COPYING SYSTEM





NEW 313Z

Basic Design Concept: Simple, Compact and Efficient



The DC-313Z features a unique zoom function that provides an infinite variety of reduction and enlargement settings. With a stationary platen, this compact desk-top copier produces up to 30 letter size copies per minute and accepts originals as small as $5^{1}/_{2}$ " $\times 8^{1}/_{2}$ " and as large as 11" $\times 17$ ".

Its 4-way paper feed system (3 cassettes plus manual bypass) ensures greater convenience. To make the machine even more efficient, an Automatic Document Feeder and Automatic Sorter with built-in stapler can be attached. The DC-313Z—perfectly suited for all your large-volume copying needs.

Z00M313Z


Innovative zoom function provides greater versatility


Zoom Function

With the DC-313Z, you can reduce originals down to 64.7% or enlarge them as much as 141.4%. This is the kind of flexibility that conventional copiers simply can't touch.

Automatic Magnification Selection

The DC-313Z is so easy to operate! In fact, all you need to do is set the size of the original and the size of the copy you want. The DC-313Z will then automatically choose the proper magnification ratio.





The DC-313Z Memorizes Four Different Magnifications

The DC-313Z can be programmed to memorize the four magnifications you most commonly use, streamlining operations. Of course, it's also possible to use the zoom function for any size of magnification without changing the preset memory. The zoom function allows exceptional flexibility. The DC-313Z is ideal when you want to adjust the size of the image on the copy, for example to increase the margin for stapling or punched holes.

4 WAY 313Z

4-Way Paper Feed Using 3 Cassettes and a Bypass Function



With three fully loaded paper cassettes, the DC-313Z can feed up to 1000 sheets automatically. Sheets can also be fed, one-by-one, using the manual bypass.

This desk-top copier features three cassettes that allow you to use three different paper sizes without changing cassettes. A 500-sheet $8^1/_2$ " \times 11" cassette set at the bottom with two 250-sheet $8^1/_2$ " \times 11" cassettes above automatically feed a total of 1,000 sheets. The manual bypass also lets you make copies of a different size from the paper in the cassettes.



Beautiful Copies on a Wide Variety of Materials

The DC-313Z produces the same beautiful finish on plain paper, overhead transparencies, tracing paper, adhesive labels, colored paper, and letterhead stationery. The zoom function can also be used with all these materials.





Toner Cartridge for Easy Replacement

When the toner runs low, an indicator lights

Simply replace the toner cartridge. Toner never directly contacts your hands or the machine.



Clamshell Design Makes Maintenance Simple

In the unlikely event of a paper misfeed, the DC-313Z can be opened like a clamshell to allow easy removal of the misfed paper.

EASY 313Z

An array of simple-to-use features that reflect Mita's dedication to reliability

30 $8^1/2^n \times 11^n$ Copies Per Minute

The DC-313Z is fast. It produces up to 30 $8^{1}/2^{"} \times 11^{"}$ copies and up to 17 11 " \times 17" copies per minute. In fact, the DC-313Z is equally adept at large-volume copying or single sheet copying.

Copies Ranging from $11'' \times 17''$ to

 $5^{1}/_{2}" \times 8^{1}/_{2}"$ The DC-313Z, with stationary platen, can copy all sizes from 11 " \times 17" to $5^1/_2$ " \times $8^1/_2$ ". This wide range of paper sizes is appropriate

for a plain paper copier with a zoom function.

Beautifully Clear Copies Everytime

Mita's exclusive Automatic Toner Density Control ensures beautifully clear images. from the very first to the very last copy. The smallest details, either solid or half-tone, are reproduced with clarity and precision. And all copies are completely dry; there's never any moisture or odor.


Attractive, Easy-to-Understand Fluorescent Display Control Panel

The DC-313Z's easy-to-understand fluorescent display control panel is just one example of Mita's innovative engineering and emphasis on operator convenience. All the necessary information is centrally located for easy, accurate control.

Compact, Simple Construction

Although the DC-313Z offers a variety of advanced functions, such as a zoom function, automatic magnification function, 4-way paper feed and stationary platen, the unit is amazingly compact and cleverly designed to facilitate easy operation and maintenance.

- Preheat function minimizes waiting time
- A pleasant melody informs you when the DC-313Z is ready to copy and a chime sounds should you ever forget to pick up your original.
- Maintenance display function ensures optimum operation at all times
- Total count call function
- The interrupt function is convenient for emergency copies.
- Self-diagnosis and simulation functions minimize downtime, and speed repairs.
- Automatic clear function to the standard mode.



































AUTO 313Z

Options that further expand your copying efficiency

MITA ADF-1N Automatic Document Feeder

Up to 50 original sheets can be placed on the tray at once. These are then automatically fed in succession to produce the required number of copies.

After copying, the originals are removed and then automatically stacked. The DC-313Z saves you time and labor because there's absolutely no need to open and close the platen cover. It can be used for sheet originals as large as 11 " × 17".

The ADF can be opened and closed to copy 3-dimensional materials such as books.

Automatic Paper Selection and Automatic Magnification Functions

The ADF automatically determines the size of the original and selects the identical size of paper. Also, if you designate the desired copy size, it will automatically determine the size of the original, and the automatic magnification function will determine the correct magnification ratio. Originals in different sizes can be copied onto the same size of paper. Copies are produced quickly with tremendous efficiency.

Automatic Start Function

If the original is set in the ADF, copying will automatically start as soon as warm-up is completed.

Interrupt Function


Continuous copying can be interrupted at any time to perform emergency jobs. When the interrupt function is released, the DC-343Z automatically returns to the point where it left



Mita AS-6 mini sorter with stapler

No more sorting or grouping by hand. The Mita AS-6 eliminates this time-consuming task by automatically collating copies into sets according to your pre-set instructions. Produce up to ten sets of any document as large as $41\,^{\prime\prime} \times 47\,^{\prime\prime}$. The AS-6 even lets you group copies into sets of different quantities, so sets can be made for different departments at the same time. Copycounting and bin-shifting for each job are automatically controlled as you copy. Quick, easy stapling is facilitated by a self-activating stapler on top. For total convenience in operation, complete control of the AS-6 is integrated into the DC-313Z's control panel.


Automatic sorting of up to 30 pages per bin If the originals are $10'' \times 14''$ size or smaller, up to 30 copies can be automatically sorted into one to ten sets. If the paper size is $11'' \times 17''$, up to 20 copies can be sorted per bin.



Grouping of copies from the same or different originals into sets

The grouping mode sorts up to 10 originals into different sets of different augntities.

With one original



With different originals A 30 copies from Original A



Original B

Copies from riginal C

Specifications

DC-313Z	
Process	Indirect Dual Component Dry Toner
Type	Desk-top
Originals	Sheets, books, 3-dimensional objects
Copy Sizes	Maximum 11 " \times 17", Minimum $5^1/2$ " \times $8^1/2$ "
Copying Speed	
	17 copies per minute 11 " \times 17"
	(Equal-size copying)
Warm-up Time	3 minutes or less (About 20 seconds
2	during Pre-Heating)
First Copy Speed	
Magnification	1:1
	Reduction/enlargement set by Automatic
	Magnification Function (6R4E)
Zoom	magnification (64.7%—141.4%, in 0.1% steps)
	Zoom magnification memory (4 types)
Light Source	Halogen lamp
	Up to 999 copies
Paper Feeding System	Automatic sheet feed (three cassettes)
0	and Manual sheet feed (bypass)
T	250 or 500 sheets ($8^{1}/_{2}$ " \times 11 " R) (Bottom)
ioner Dispensing System	Automatic Toner Density Control
Power Source	
Weight	
weight	184 lbs
A D. P. TAI	

ADF-1N

Original Sizes	
Acceptable Paper Weights	
Feeding Capacity	
Dimensions	
Power Source	

AS-6

Number of Bins	11 (10 sort bins and one non-sort bin)
Acceptable Copy Paper Sizes	
	Non-sort bin: 200 sheets $(11 " \times 17")$
	Each sort bin: 20 sheets $(11 " \times 17")$
	30 sheets (10" \times 14" or smaller)
Copy Side	Face up
Dimensions	
	AC 115V 60Hz

- For best copy results, we recommend that you use only Mita original consumables for your Mita copiers.

 • Specifications are subject to change without notice.



Local Authorized Dealer



MITA COPYSTAR AMERICA, INC.

Headquarters: Heights Plaza, 777 Terrace Avenue, Hasbrouck Heights, New Jersey 07604, U.S.A. Phone: (201) 288-6900, Telex: 138055 MITA HBHT

Northeastern Region: 158 River Road, Clifton, New Jersey 07014

Phone: (201) 471-9485

Midwestern Region: 1250 Lunt Avenue, Elk Grove Village, Illinois 60007

Phone: (312) 364-6466

Western Region: 2930 South Fairview Street, Santa Ana, California 92704 Phone: (714) 556-0318

Southern Region: 2054 Weems Road, Tucker, Georgia 30084 Phone: (404) 939-8421

mita DC-313Z

COPYING SYSTEM

